

**KATRÄL** *The new Dekton® Grip/Grip+ shower tray*

*The new framed shower tray in Dekton®, with a versatile and smart design, where the drain is covered in the same material to aim the perfect visual continuity in your bathroom space.*

————— *Launch May 2023*





→ Shower tray *Katräl Dekton® Grip+ Zenith*



→ Shower tray Katräl Dekton® Grip+ Kreta

## Katräl

### Main characteristics:

- Standard perimeter frame 6'5cm (2 ½") high and 2cm (4/5") wide, double side polished.
- Drainage area hidden with a cover for a perfect integration with the rest of the elements.
- About 50kg/m2 (10.25 lb/ft2).
- Wide range of dimensions available.
- Manufactured with all anti-slip Dekton® Grip/Grip+ colors and 5 more bonus colors\*.
- 5-year warranty.
- Optional cuts to suit the space available on request.
- Installation flush with the floor or on top.
- Shower drain valve with siphon and stainless-steel included.

### Perimetral frame

Flat edge with 2cm (4/5") for a perfect resting of the shower screen

### Finish

Anti-slip Dekton® Grip/Grip+

### Custom sizes

Length from 70 up to 200 cm  
(from 27 ½" up to 78 ¾")

Width from 70 up to 120 cm  
(from 27 ½" up to 48")



\*the bonus colours are only available for shower application, not for flooring tiles.


**Aeris**



**Albarium22**



**Argentium**



**Avorio**



**Bromo**



**Ceppo**



**Danae**



**Grafite**



**Griggio**



**Keon**



**Kreta**



**Lunar22**



**Marmorio**



**Nacre**



**Nebbia**



**Sabbia**



**Sasea**



**Soke**



Laurent



Rem



Zenith



Kelya



Marina



## “Standard Bath 2.0” packaging

The individual packaging defined for the shower tray application (named as Standard Bath 2.0), used for individual orders, is composed by:

- 3mm cardboard box printed/vinylized with the Cosentino image.
- Product label with the model, color, finish and dimensions requested (for custom products).
- A-frame done in wood or metal (returnable), single or grouped, depending on the number of units ordered.
- Fastening straps for the safety of the element.
- Product guide and drain valve.
- Shrink-wrapped with transparent plastic printed with Cosentino brand.




**Documentation available in OffPack**

- Product guide, with:
  - Thanks Letter
  - Installation manual
  - Use, Clean & Maintenance
  - Warranty Letter

- Declaration of Performance (DoP):

- Order template:





- **How can the shower tray be ordered? Is there any STD format?**

The shower tray can be ordered through zElaborado, as the other items available in the bathroom collection.

Not, for the moment there isn't any market interested or requesting the standard sizes/colours.

- **Can a shower tray be extended more than the maximum dimensions allowed, by adding an offset drying side?**

Yes, it is possible by attaching an additional flat piece to the side of the shower tray you want. It is not possible in the same piece.

- **Can the drain hole be located anywhere?**

No, it is not possible to move the drain hole. It needs to be always located on a side.

- **Can any specific valve be ordered, trying to adapt the product to the market?**

Yes, by sending to HQ a sample of the drain valve, we will try to adapt it as best as possible in the shower tray.

- **Can special shapes be produced?**

As the manufacturing process is by assembling pieces, it can be manufactured with straight cuts on the rear side and even diagonal cuts.

- **What kind of installation is recommend? Is it possible to install correctly the shower screen/doors/panels?**

Cosentino recommends to install the shower tray recessed or above the floor level.

The whole edge of the shower tray is flat, allowing to install perfectly a shower screen/door/panel with or without metal profiles.

- **What is the maximum evacuation capacity of the valve?**

The drain valve supplied with siphon (European version) has a minimum evacuation capability of 20 l/min, according to manufacturer's specs (EN 274).

The drain valve supplied without siphon (USA/CA version) has a maximum flow capability of 170 l/min (45 gallons/min), according to manufacturer's specs.

- **Can the Dekton cover be replaced by a metal grate?**

Yes, with a minimum quantity of 20 units (projects), the cover can be replaced by a metal grate (design to be confirmed with the client), being even possible to produce the drainage area less wide with a rectangular drain valve (just for the European market).

*Corporate Purpose*

*Inspiring People through innovative and sustainable spaces.*